

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9614	database and format with (transform\$5 or conversion or convert\$3)	USPAT	OR	OFF	2006/05/26 14:41
S2	194681	database and format with (transform\$5 or conversion or convert\$3) rule\$1	USPAT	OR	OFF	2006/05/26 14:41
S3	3526	database and format with (transform\$5 or conversion or convert\$3) and rule\$1	USPAT	OR	OFF	2006/05/26 14:42
S4	752	database and format with (transform\$5 or conversion or convert\$3) and default and GUI	USPAT	OR	OFF	2006/05/26 14:42
S5	3347	database and format with (transform\$5 or conversion or convert\$3) and default and interface	USPAT	OR	OFF	2006/05/26 14:42
S6	1057	database and format with (transform\$5 or conversion or convert\$3) and default near2 value\$1 and interface	USPAT	OR	OFF	2006/05/26 14:43
S7	181	database and stor\$4 with format with (transform\$5 or conversion or convert\$3) and default near2 value\$1 and interface	USPAT	OR	OFF	2006/05/26 14:43
S8	26	database and storage near2 format with (transform\$5 or conversion or convert\$3) and default near2 value\$1 and interface	USPAT	OR	OFF	2006/05/26 14:54
S9	5	database and multiplenear2 langages	USPAT	OR	OFF	2006/05/26 14:55
S10	565	database and multiple near2 languages	USPAT	OR	OFF	2006/05/26 14:55
S11	1042	database and multiple near2 languages date adj entry	USPAT	OR	OFF	2006/05/26 14:56
S12	0	database and multiple near2 languages and date adj entry	USPAT	OR	OFF	2006/05/26 14:56
S13	99	database and multiple near2 languages and date with ent\$6	USPAT	OR	OFF	2006/05/26 14:56
S14	193	database and multiple near2 languages and data with entry	USPAT	OR	OFF	2006/05/26 14:56
S15	0	database and multiple near2 languages and data with entry and conver%6	USPAT	OR	OFF	2006/05/26 14:57
S16	152	database and multiple near2 languages and data with entry and conver\$6	USPAT	OR	OFF	2006/05/26 14:57

## EAST Search History

S17	42	database and multiple near2 languages and data with entry and conver\$6 with format	USPAT	OR	OFF	2006/05/26 14:59
S18	31	database and multiple near2 languages and data with entry and conver\$6 with format and default	USPAT	OR	OFF	2006/05/26 15:00
S19	12	database and multiple near2 languages and data with entry and conver\$6 with format and default near3 value	USPAT	OR	OFF	2006/05/26 15:04
S20	15	database and multiple near2 languages and conver\$6 with format and default near3 value	USPAT	OR	OFF	2006/05/26 15:06
S21	2	database and user near2 indentif\$6 and conver\$6 with format and default near3 value	USPAT	OR	OFF	2006/05/26 15:06
S22	2	database and user near2 indentif\$7 and conver\$6 with format and default near3 value	USPAT	OR	OFF	2006/05/26 15:07
S23	17	database and indentif\$7 and conver\$6 with format and default near3 value	USPAT	OR	OFF	2006/05/26 15:08
S24	455414	database convert\$3 near3 data near format	USPAT	OR	OFF	2006/05/26 15:08
S25	1055	database and convert\$3 near3 data near format	USPAT	OR	ON	2006/05/26 15:09
S26	148	database and convert\$3 near3 data near format with stor\$3	USPAT	OR	ON	2006/05/26 16:17
S27	788	convert\$3 near3 data near format with stor\$3	USPAT	OR	ON	2006/05/26 15:09
S28	3	ansi/sparc	USPAT	OR	ON	2006/05/26 16:38
S29	241	federated database	USPAT	AND	ON	2006/05/30 10:31
S30	10	federated database currency units	USPAT	AND	ON	2006/05/26 16:39
S31	6	"federated database" currency units	USPAT	AND	ON	2006/05/30 13:21
S32	83	federated adj database	USPAT	AND	ON	2006/05/30 10:31
S33	2065	database currency units	USPAT	AND	ON	2006/05/30 10:34
S34	905	database currency units default	USPAT	AND	ON	2006/05/30 10:36
S35	272	database currency units default user adj identif\$6	USPAT	AND	ON	2006/05/30 10:37
S36	264	database currency units default user adj identif\$6 format	USPAT	AND	ON	2006/05/30 10:38
S37	54	database currency units default user adj identif\$6 format and "707".clas.	USPAT	AND	ON	2006/05/30 10:41

## EAST Search History

S38	32	database conversion currency units default user adj identif\$6 format and "707".clas.	USPAT	AND	ON	2006/05/30 10:42
S39	25	database conver\$4 with format currency units default user adj identif\$6 and "707".clas.	USPAT	AND	ON	2006/05/30 10:42
S40	32	database conver\$4 with format currency units default user adj identif\$6 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 11:21
S41	11	database conver\$4 with format currency units default user adj identif\$6 and "707".clas. globalization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 11:24
S42	23	database conver\$4 with format currency units default user adj identif\$6 and globalization not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 11:26
S43	23	database conver\$4 with format currency default user adj identif\$6 and globalization not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:05
S44	360	database format and globalization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 11:56
S45	2	database format and globalization.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:02
S46	1	("2002/0184308").URPN.	USPAT	OR	OFF	2006/05/30 11:58
S47	3	database near3 globalization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:02

## EAST Search History

S48	25	database conver\$4 with format currency default user adj profile and globalization not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:14
S49	25	database conver\$4 with format currency default user adj profile and globalisation not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:15
S50	17	database conver\$4 with format currency default user adj profile and Internationalization not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:29
S51	12	database conver\$4 with format currency default user adj profile and Internationaliz\$4 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:29
S52	16	database conver\$4 with format currency default user adj profile and Internationaliz\$5 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:31
S53	0	database conver\$4 storage adj format currency default user adj profile and Internationaliz\$5 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:32
S54	0	database conver\$4 storage adj format currency default user adj profile and Internationaliz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 12:32
S55	26	database conver\$4 storage adj format currency default user adj profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 13:10

## EAST Search History

S56	13	((("5655085") or ("5694598") or ("5703938") or ("5710884") or ("5911139") or ("6032147") or ("6067525") or ("6324647") or ("6405132") or ("6567818") or ("6768944") or ("6895408") or ("6857123") or ("20020095454") or ("2002161778") or ("2002191832") or ("20050038551"))).PN.	USPAT; USOCR	OR	OFF	2006/05/30 12:36
S57	15	((("5655085") or ("5694598") or ("5703938") or ("5710884") or ("5911139") or ("6032147") or ("6067525") or ("6324647") or ("6405132") or ("6567818") or ("6768944") or ("6895408") or ("6857123") or ("20020095454") or ("2002161778") or ("2002191832") or ("20050038551"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/30 12:38
S58	17	((("5655085") or ("5694598") or ("5703938") or ("5710884") or ("5911139") or ("6032147") or ("6067525") or ("6324647") or ("6405132") or ("6567818") or ("6768944") or ("6895408") or ("6857123") or ("20020095454") or ("2002161778") or ("2002191832") or ("20050038551"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/30 12:38
S59	39	database storage adj format default adj value user adj profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 13:10
S60	0	database (transform\$3 on covert\$3) storage adj format default adj value and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 13:11
S61	26	database (transform\$3 or covert\$3) storage adj format default adj value and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 13:13
S62	2	database (transform\$3 or covert\$3) with storage adj format default adj value and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/05/30 13:13

## EAST Search History

S63	1	"20020184308"	US-PGPUB; USPAT	AND	ON	2006/05/30 13:24
S64	1169	rule-based and transformation	US-PGPUB; USPAT	AND	ON	2006/05/30 13:24
S65	156	rule-based same transformation	US-PGPUB; USPAT	AND	ON	2006/05/30 13:24
S66	98	rule-based same transformation and database and format	US-PGPUB; USPAT	AND	ON	2006/05/30 13:25
S67	2	rule-based same transformation and database and storage adj format	US-PGPUB; USPAT	AND	ON	2006/05/30 13:25
S68	26	rule-based transformation and database and storage adj format	US-PGPUB; USPAT	AND	ON	2006/05/30 13:27
S69	839	federated database	US-PGPUB; USPAT	AND	ON	2006/05/30 13:27
S70	164	federated adj database	US-PGPUB; USPAT	AND	ON	2006/05/30 13:28
S71	164	federated adj database	US-PGPUB; USPAT	AND	ON	2006/05/30 13:30
S72	1	federated adj database globalization	US-PGPUB; USPAT	AND	ON	2006/05/30 13:29
S73	0	federated adj database internationalization	US-PGPUB; USPAT	AND	ON	2006/05/30 13:29
S74	0	federated adj database curency	US-PGPUB; USPAT	AND	ON	2006/05/30 13:29
S75	50	federated adj database converting	US-PGPUB; USPAT	AND	ON	2006/05/30 13:32
S76	0	federated adj database converting buisness	US-PGPUB; USPAT	AND	ON	2006/05/30 13:32
S77	0	distributed database default near2 vaule user near2 profile and format	US-PGPUB; USPAT	AND	ON	2006/05/30 13:36
S78	983	distributed database default near2 value user near2 profile and format	US-PGPUB; USPAT	AND	ON	2006/05/30 13:36
S79	707	distributed database default near2 value user near2 profile and format and (trasfom\$5 or convert\$5)	US-PGPUB; USPAT	AND	ON	2006/05/30 13:36
S80	21	distributed database default near2 value user near2 profile and format and (trasfom\$5 or convert\$5) and (globalization or internationalization)	US-PGPUB; USPAT	AND	ON	2006/05/30 13:47
S81	52	distributed database default near2 value user near2 profile and storage near2 format and (trasfom\$5 or convert\$5)	US-PGPUB; USPAT	AND	ON	2006/05/30 13:47

## EAST Search History

S82	9	distributed database default near2 value user near2 profile and storage near2 format and (trasfom\$5 or convert\$5) display near3 format	US-PGPUB; USPAT	AND	ON	2006/05/30 13:51
S83	7	"federated database" and storage near2 format	US-PGPUB; USPAT	AND	ON	2006/05/30 13:57
S84	74	i18n	US-PGPUB; USPAT	AND	ON	2006/05/30 14:02
S85	62	i18n database	US-PGPUB; USPAT	AND	ON	2006/05/30 14:02
S86	491	(i18n or internationalization) database	US-PGPUB; USPAT	AND	ON	2006/05/30 14:03
S87	296	(i18n or internationalization) stor\$3 near3 database	US-PGPUB; USPAT	AND	ON	2006/05/30 14:03
S88	150	(i18n or internationalization) stor\$3 near3 database and ("707".clas. or "705".clas.)	US-PGPUB; USPAT	AND	ON	2006/05/30 14:45
S89	17	(i18n) stor\$3 near3 database and ("707".clas. or "705".clas.)	US-PGPUB; USPAT	AND	ON	2006/05/30 14:31
S90	18	"5442782"	US-PGPUB; USPAT	AND	ON	2006/05/30 14:31
S91	9	(i18n or internationalization) with database and ("707".clas. or "705".clas.)	US-PGPUB; USPAT	AND	ON	2006/05/30 14:45
S92	28	("20010037253"   "20020032626"   "20020069096"   "20020107861"   "20020184308"   "5442782"   "5630125"   "5745681"   "5835912"   "5895454"   "5905973"   "5940807"   "5944790"   "6029141"   "6038598"   "6055515"   "6061682"   "6064979"   "6115690"   "6233575"   "6292894"   "6411999"   "6446061"   "6460020"   "6484149"   "6606619"   "6704729"   "6721715").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/30 15:40